



Insta | *Sterckeman.*

Collection | 2019



GB

*This is the Sterckeman effect!*

**Sterckeman.**  
AN OPEN DOOR TO HAPPINESS

○ EASY	340CP	390CP	430PE	496PE
<b>WEIGHTS &amp; DIMENSIONS</b>				
Berths	3	3	5	6
Overall Length (m)	5,00	5,70	6,20	6,70
External body length (m)	3,90	4,60	5,10	5,60
Internal length (m)	3,30	4,00	4,50	5,00
Overall height (m) / Internal height (m)	2,58/1,95	2,58/1,95	2,58/1,95	2,58/1,95
Overall width (m)	2,10	2,10	2,30	2,30
Internal width (m)	1,95	1,95	2,15	2,15
Empty weight (Kg.)	630	730	890	1000
Mass in running orde (Kg.) +/-5%	657	757	917	1027
Maxi authorised weight (Kg.)	750/850/1000	850/900/1000	1000/1100/1300	1100/1200/1300
Awning Length (m) +/- 5%	7,77	8,47	8,97	9,47
Spare wheel dimensions	185/70R14	185/70R14	175R14C	175R14C
<b>CHASSIS</b>				
Shockabsorbers (3kg)	○	○	○	○
ALKO Safety coupling (3kg)	○	○	○	○
Spare wheel (12kg)	○	○	○	○
Ext. storage access (75x30cm) (2kg)	○	○	○	○
Garage for bikes (100x52cm)	-	-	S	-
Opening windows	3	3	5	6
<b>EQUIPMENT</b>				
Skylight 70x50 (cm) (2kg)	○	○	○	○
Trumatic water heater 5L (4kg)	-	-	-	○
TRUMA 3004 Gasheater (10kg)	○	○	○	○
CARAHEAT (4kg)	○	○	○	○
Leisure Air-conditioning preparation	-	S	S	S
Factory fitted Air-conditioning (30kg)	-	○	○	○

○ EASY	340CP	390CP	430PE	496PE
<b>KITCHEN</b>				
Compressor refrigerator XL Freeze 150L (15kg)	-	-	○	○
Waste water tank 30L (wheeled)	○	○	○	S
Fresh water tank 25L	S	S	S	-
Fresh water tank 50L	-	-	-	○
<b>BATHROOM</b>				
Shower tray	-	S	S	S
Curtain	-	-	-	S
Shower with flexible hose (2kg)	-	-	○	-
Shower column with flexible hose (7kg)	-	-	-	○
Thetford cassette toilet	-	S (Electric)	S (Manual)	S (Electric)
<b>BEDROOM</b>				
Dimensions front bed (cm)	140x195	140x195	140x210	140x210
Dimensions centre bed (cm)	-	-	110/95x170	100x170
Dimensions rear bed (cm)	85/60x190	125x100x190	(77/60x210)x2	(85x185)x2
<b>ELECTRICAL INSTALLATION</b>				
Sockets 230V	S 1	S 2	S 2	S 2

## EQUIPMENT SERIE

### CHASSIS

- GRP Roof
- Exclusive XPS Insulation
- Awning light

### EQUIPMENT

- Combined blinds & fly nets
- LED ceiling

### KITCHEN

- Refrigerator 85L
- Stainless steel sink & 3 burners
- LED lighting

### BATHROOM

- LED lighting

### BEDROOM

- Comfort mattresses (12cm)

### ELECTRICAL INSTALLATION

- Transformer / charger module 230V/12V including ground fault circuit breaker

### PACK TOURING (8kg)

- Shockabsorbers
- ALKO Safety coupling
- Ext. storage access (100x40cm)

○ STARLETT	330CP	380CE	395CP	400UL	420CP	450LJ	470CP	470PE	476PE	480CP	490PE
<b>WEIGHTS &amp; DIMENSIONS</b>											
Berths	2	4	4	4	4	4	4	6	6	4	6
Overall Length (m)	5	5,50	5,70	5,90	5,90	6,40	6,40	6,40	6,40	6,70	6,70
External body length (m)	3,92	4,42	4,62	4,83	4,82	5,32	5,32	5,32	5,32	5,62	5,62
Internal length (m)	3,30	3,80	4,00	4,20	4,20	4,70	4,70	4,70	4,70	5,00	5,00
Overall height (m) / Internal height (m)	2,58/1,95	2,58/1,95	2,58/1,95	2,58 /1,95	2,58 /1,95	2,58/1,95	2,58/1,95	2,58/1,95	2,58/1,95	2,58/1,95	2,58/1,95
Overall width (m)	2,10	2,30	2,30	2,30	2,10	2,30	2,30	2,30	2,30	2,30	2,30
Internal width (m)	1,95	2,15	2,15	2,15	1,95	2,15	2,15	2,15	2,15	2,15	2,15
Empty weight (Kg.)	680	830	860	860	820	940	920	960	980	990	1045
Mass in running order (Kg.) +/-5%	707	857	887	887	847	967	947	987	1007	1017	1087
Maxi authorised weight (Kg.)	750/850/1000	950/1050/1200	950/1100/1300	1050/1150/1200	900/1000/1300	1100/1200/1500	1000/1200/1500	1100/1200/1500	1100/1200/1500	1100/1200/1500	1150/1300/1500
Awning Length (m) +/- 5%	8,04	8,54	8,74	8,67	8,94	9,44	9,44	9,44	9,44	9,74	9,74
Spare wheel dimensions	185/70R14	175R14C	175R14C	195/70R14	175R14C	175R14 C	175R14C	175R14C	175R14 C	175R14 C	185R14C
<b>CHASSIS</b>											
Shockabsorbers (3kg)	O	O	O	O	O	O	O	O	O	O	O
ALKO Safety coupling (3kg)	O	O	O	O	O	O	O	O	O	O	O
ALKO Trailer Stability Control (ATC) (5kg)	O	O	O	O	O	O	O	O	O	O	O
Heavy duty corner steadies (6kg)	O	O	O	O	O	O	O	O	O	O	O
Alloy wheels (12kg)	O	O	O	O	O	O	O	O	O	O	O
Opening windows	4	6	4	5	4	5	6	6	6	6	6
Front window	S	S	S	S	O	-	S	S	S	O	S
Spare wheel in gas locker	O	S	S	O	S	S	S	S	S	S	S
A-frame cover (2kg)	O	O	O	O	O	O	O	O	O	O	O
Ext. storage access (75x30cm) (2kg)	O	O	-	-	-	-	-	-	-	-	-
Ext. storage access (100x40cm) (2kg)	-	-	O	O	O	O	O	O	O	O	O
Hold for bikes (100x65)	-	S	-	-	-	-	-	S	-	-	S
Hold for bikes (170x55)	S	-	-	-	-	S	-	-	-	-	-
Leisure Air-conditioning preparation	-	S	S	S	S	S	S	S	S	S	S
Factory fitted Air-conditioning (30kg)	-	O	O	O	O	O	O	O	O	O	O

S: Standard / O: Optional / -: Not available

○ STARLETT	330CP	380CE	395CP	400UL	420CP	450LJ	470CP	470PE	476PE	480CP	490PE
<b>EQUIPMENT</b>											
CARAHEAT (4kg)	-	O	O	-	O	O	O	O	-	-	O
Blown air heating 12V (4kg)	-	-	O	O	-	O	O	O	O	O	O
Ultra heat (2kg)	-	-	O	O	O	O	O	O	O	O	O
Trumatic water heater 5L (4kg)	O	O	O	O	O	O	O	O	O	O	O
Entrance mosquito net complete door (3kg)	O	O	O	O	O	O	O	O	O	O	O
Skylight (70x50cm) (2kg)	O	O	O	O	O	O	O	O	O	O	O
Mast (3kg)	O	O	O	O	O	O	O	O	O	O	O
Storage bag	-	-	S 2	-	S 1	-	S 2	S 1	S 2	-	S 1
<b>KITCHEN</b>											
Refrigerator 85L	S (70L)	S	S	S	S	S	S	S	S	S	S
Compressor refrigerator XL Freeze 150L (15kg)	-	O	-	O	-	O	O	O	O	O	O
Refrigerator 140L	-	-	-	-	O	-	-	-	-	-	-
Fresh water tank 50L	-	O	O	O	O	O	O	O	O	O	O
Waste water tank 30L (wheeled)	O	S	S	S	S	S	S	S	S	S	S
Spice rack	S	-	-	S	S	-	-	S	S	S	S
<b>BATHROOM</b>											
Electrical Thetford cassette toilet	S	S	S	S	S	S	S	S (Manual)	S	S	S
Shower with flexible hose (2kg)	O	O	-	S	O	O	-	O	-	O	O
Shower column + curtain + flexible hose (7kg)	-	-	O	O	-	-	O	-	O	-	-
<b>BEDROOM</b>											
Dimensions front bed (cm)	180x195 or 120x195	150/145 x200	140x200	200x140	140x195	(85x195) & (85x200) or 195x210	140x200	140x210	140x200	150x200	140x210
Dimensions centre bed (cm)	-	-	-	-	100x170	-	-	110x170	100x180	-	130x170
Dimensions rear bed (cm)	-	(75x210) x2	170x110	190x120	-	100x210	100/150 x210	(75x180) & (75x210)	(80x210) x2	110/120 x210	(75x210) x2
Comfort mattresses (12 cm)	S	S	S	S	S	S (15cm)	S	S	S	S	S
<b>ELECTRICAL INSTALLATION</b>											
Sockets 230V	S 3	S 3	S 3	S 5	S 3	S 4	S 4	S 5	S 5	S 4	S 5
Leisure Battery preparation (2kg)	O	O	O	O	O	O	O	O	O	O	O
Electrical floor heating (5kg)	-	-	O	O	O	O	O	-	O	O	-

**EQUIPMENT SERIE**

**CHASSIS**

- Longer corner-steadies
- Wheel trims
- Awning light
- ABS front gas locker
- ABS light support
- GRP Roof
- Exclusive XPS Insulation

**EQUIPMENT**

- Combined blinds & fly nets
- TV-preparation (socket and cable)

**KITCHEN**

- Stainless steel sink & 3 burners
- Fresh water tank 25L

**BATHROOM**

- Shower with flexible hose

**BEDROOM**

- Bed gas strut

**ELECTRICAL INSTALLATION**

- Transformer / charger module 230V/12V including ground fault circuit breaker

**PACK TOURING (8kg)**

- Shockabsorbers
- ALKO Safety coupling
- Ext. storage access (100x40cm)

**PACK SPORTING (4kg)**

- Alloy wheels
- Entrance mosquito net complete door
- A-frame cover

**PACK COMFORT (45kg)**

- Shockabsorbers
- ALKO Safety coupling
- White GRP side-panels
- Trumatic water heater 5L + Shower with flexible hose
- Skylight (70x50cm)
- Ext. storage access
- LED lighting in storages / under the kitchen's worktop
- Waste water tank 30L (wheeled)
- Comfort mattresses (15cm) + Superior fabrics
- Two-colored cupboard doors
- Superior front door
- Spotlights for reading with USB

PRICE ~~3800€~~ **1900€**

○ EVOLUTION	400UL	460LJ	465CP	480CP	496PE	510PE
<b>WEIGHTS &amp; DIMENSIONS</b>						
Berths	4	4	4	4	6	6
Overall Length (m)	5,95	6,75	6,45	6,75	6,95	6,95
External body length (m)	4,82	5,62	5,32	5,62	5,82	5,82
Internal length (m)	4,20	5,00	4,70	5,00	5,20	5,20
Overall height (m) / Internal height (m)	2,58 /1,95	2,58/1,95	2,58 /1,95	2,58/1,95	2,58/1,95	2,58 /1,95
Overall width (m)	2,30	2,30	2,30	2,30	2,30	2,30
Internal width (m)	2,15	2,15	2,15	2,15	2,15	2,15
Empty weight (Kg.)	980	1100	1020	1100	1150	1150
Mass in running order (Kg.) +/-5%	1032	1152	1072	1152	1202	1202
Maxi authorised weight (Kg.)	1100/1200/1500	1200/1300/1500	1150/1300/1500	1200/1300/1500	1300/1500	1300/1500
Technical payload increase KG	-	-	-	-	O 1500/1700kg	O 1500/1700kg
Awning Length (m) +/- 5%	8,94	9,74	9,44	9,74	9,94	9,94
Spare wheel dimensions	175R14C	175R14C	175R14C	175R14C	175R14C	175R14C
<b>CHASSIS</b>						
ALKO Trailer Stability Control (ATC) (5kg)	O	O	O	O	O	O
Alloy wheels (12kg)	O	O	O	O	O	O
Opening windows	5	8	6	7	7	6
Front window	S	S	S	O	S	S
Spare wheel in gas locker (16kg)	O	O	O	O	O	O
A-frame cover (2kg)	O	O	O	O	O	O
Hold for bikes (105x105cm)	-	-	-	-	-	S
Hold for bikes (170x55cm)	-	-	-	-	-	S
Factory fitted Air-conditioning (30kg)	O	O	O	O	O	O

○ EVOLUTION	400UL	460LJ	465CP	480CP	496PE	510PE
<b>EQUIPMENT</b>						
Ultra heat (2kg)	O	O	O	O	O	O
Trumatic water heater 5L	S	S	S	S	-	S
Trumatic water heater 10L (230V/GAZ)	O	O	O	O	S	O
Entrance mosquito net complete door (3kg)	O	O	O	O	O	O
Mast (3kg)	O	O	O	O	O	O
Storage bag	S 2	-	S 2	-	S 4	S 4
Carpet	-	O	O	O	O	O
Comfort Kit	O	O	O	O	O	O
<b>KITCHEN</b>						
Fresh water tank 50L	O	O	O	O	O	O
<b>BATHROOM</b>						
Curtain	-	O	-	O	-	-
Shower with flexible hose	S	S	S	S	-	S
Shower column + flexible hose + curtain (7kg)	O	-	O	-	-	O
Shower column	-	-	-	-	S	-
Seperated shower	-	-	-	-	S	-
<b>BEDROOM</b>						
Dimensions front bed (cm)	200x140	(85x195) & (85x200) or 195x210	140x200	150x200	140x210	140x200
Dimensions centre bed (cm)	-	-	-	-	180x130	190x110
Dimensions rear bed (cm)	190x120	130/120x210	110/120x210	110/120x210	(80x190)x2	(80x185)x2
<b>ELECTRICAL INSTALLATION</b>						
Sockets 230V	S 4	S 4	S 4	S 4	S 6	S 6
Leisure Battery preparation (2kg)	O	O	O	O	O	O
Electrical floor heating (5kg)	O	O	O	O	O	O

**EQUIPMENT SERIE**

**CHASSIS**

- Shockabsorbers
- ALKO Safety coupling
- Heavy duty corner steadies
- Longer corner-steadies
- Wheel trims
- Awning light
- 3<sup>rd</sup> brake light
- Ext. storage access (100x40cm)
- Hold for bikes (100x65cm)
- Leisure Air-conditioning preparation
- GRP under-floor
- GRP roof, walls & under-floor
- Exclusive IRP Construction
- Bicycle racks

**EQUIPMENT**

- TRUMATIC 3004 Gasheater
- Blown air heating 12V
- Combined blinds & fly nets
- Skylight (70x50cm)
- TV-preparation (socket and cable)
- Metallic articulated TV support
- Illuminated mirror
- LED lighting

**KITCHEN**

- Stainless steel sink & 3 burners
- Compressor refrigerator XL Freeze 150L
- Fresh water tank 25L
- Waste water tank 30L (wheeled)
- Spice rack
- LED lighting

**BATHROOM**

- Electrical Thetford cassette toilet
- Shower tray

**BEDROOM**

- Bed gas strut
- Comfort mattresses (15cm)
- LED lighting

**ELECTRICAL INSTALLATION**

- Transformer / charger module 230V/12V including ground fault circuit breaker
- Control Panel
- USB

**PACK SPORTING (4kg)**

- Alloy wheels
- Entrance mosquito net complete door
- A-frame cover

**PACK ARCTIC (39kg)**

- Electrical floor heating
- Factory fitted Air-conditioning
- Ultra heat



○ ALIZÉ TREND	460LJ	475CP	480CP	530PE
<b>WEIGHTS &amp; DIMENSIONS</b>				
Berths	4	4	4	6
Overall Length (m)	7,00	7,00	7,00	7,60
External body length (m)	5,78	5,78	5,78	6,38
Internal length (m)	5,00	5,00	5,00	5,60
Overall height (m) / Internal height (m)	2,58/1,95	2,58/1,95	2,58/1,95	2,58/1,95
Overall width (m)	2,30	2,30	2,30	2,30
Internal width (m)	2,15	2,15	2,15	2,15
Empty weight (Kg.)	1175	1160	1160	1315
Mass in running order (Kg.) +/-5%	1197	1182	1182	1346
Maxi authorised weight (Kg.)	1400/1500	1350/1500	1350/1500	1500/1600/1800
Technical payload increase KG	O 1500/1700kg	O 1500/1700kg	O 1500/1700kg	-
Awning Length (m) +/- 5%	9,67	9,67	9,67	10,27
Spare wheel dimensions	175R14C	175R14C	175R14C	195R14C
<b>CHASSIS</b>				
ALKO Trailer Stability Control (ATC) (5kg)	O	O	O	O
Alloy wheels (12kg)	O	O	O	O
Opening windows	8	6	8	7
Spare wheel in gas locker (16kg)	O	O	O	O
A-frame cover (2kg)	O	O	O	O
Hold for bikes (105x105cm)	-	-	-	S
Factory fitted Air-conditioning (30kg)	O	O	O	O

○ ALIZÉ TREND	460LJ	475CP	480CP	530PE
<b>EQUIPMENT</b>				
Ultra heat (2kg)	O	O	O	O
Trumatic water heater 5L	S	S	S	-
Trumatic water heater 10L (230V/GAZ) (7kg)	-	O	-	O
Trumatic water heater 14L	-	-	-	S
Entrance mosquito net complete door (3kg)	O	O	O	O
Skylight Heki 2 (2kg)	O	O	O	O
Mast (3kg)	O	O	O	O
Carpet	O	O	O	O
Storage bag	-	S 2	-	S 4
Comfort Kit	O	O	O	O
<b>KITCHEN</b>				
Fresh water tank 50L	O	O	O	O
Spice rack	S	S	-	S
<b>BATHROOM</b>				
Shower with flexible hose	S	-	S	-
Curtain	O	-	O	-
Shower column + flexible hose + tray	-	S	-	S
Seperated shower	-	S	-	-
Ventilated skylight	-	S	-	S
<b>BEDROOM</b>				
Dimensions front bed (cm)	85x200-85x195 or 195x210	150x210	150x200	150x210
Dimensions centre bed (cm)	-	-	-	130x170
Dimensions rear bed (cm)	130/120x210	140x200	110/125x210	(80x210)x2
Bed make-up system with slats retained on track	S	-	-	-
<b>ELECTRICAL INSTALLATION</b>				
Sockets 230V	S 4	S 5	S 5	S 5
Leisure Battery preparation (2kg)	O	O	O	O
Electrical floor heating (5kg)	O	O	O	O

**EQUIPMENT SERIE**

**CHASSIS**

- Shockabsorbers
- ALKO Safety coupling
- Heavy duty corner steadies
- Wheel trims
- Awning light
- Front window
- Bumper with integrated LED
- 3<sup>rd</sup> brake light
- Curved ABS front with rounded front-window and integrated gas locker
- Ext. storage access (100x40cm)
- Leisure Air-conditioning preparation
- GRP roof, walls & under-floor
- Exclusive IRP Construction
- Bicycle racks

**EQUIPMENT**

- TRUMATIC 3004 Gasheater (Except 530PE : 5004)
- Blown air heating 12V
- Combined blinds & fly nets
- Skylight (70x50cm)
- TV-preparation (socket and cable)
- Metallic articulated TV support
- LED lighting

**KITCHEN**

- Stainless steel sink & 3 burners
- Compressor refrigerator XL Freeze 150L
- Fresh water tank 25L
- Waste water tank 30L (wheeled)
- LED lighting

**BATHROOM**

- Electrical Thetford cassette toilet
- Shower tray

**BEDROOM**

- Comfort mattresses (15 cm)
- Bed gas strut
- LED lighting

**ELECTRICAL INSTALLATION**

- Transformer / charger module 230V/12V including ground fault circuit breaker
- Control Panel
- USB

**PACK SPORTING (4kg)**

- Alloy wheels
- Entrance mosquito net complete door
- A-frame cover

**PACK ARCTIC (39kg)**

- Electrical floor heating
- Factory fitted Air-conditioning
- Ultra heat



○ ALIZÉ EVASION	550CP	550LJ
<b>WEIGHTS &amp; DIMENSIONS</b>		
Berths	4	4
Overall Length (m)	7,60	7,60
External body length (m)	6,38	6,38
Internal length (m)	5,60	5,60
Overall height (m) / Internal height (m)	2,58/1,95	2,58/1,95
Overall width (m)	2,30	2,30
Internal width (m)	2,15	2,15
Empty weight (Kg.)	1380	1390
Mass in running order (Kg.) +/-5%	1457	1467
Maxi authorised weight (Kg.)	1550/1600/1800	1550/1600/1800
Awning Length (m) +/- 5%	10,27	10,27
Spare wheel dimensions	195R14C	195R14C
<b>CHASSIS</b>		
ALKO Trailer Stability Control (ATC) (5kg)	0	0
Alloy wheels (12kg)	0	0
Opening windows	7	7
Spare wheel in gas locker (16kg)	0	0
A-frame cover (2kg)	0	0
Factory fitted Air-conditioning (30kg)	0	0
<b>EQUIPMENT</b>		
Mast (3kg)	0	0
Carpet	0	0
Comfort Kit	0	0
<b>BEDROOM</b>		
Dimensions front bed (cm)	150x200	85x200 & 85x210
Dimensions rear bed (cm)	140/150x210	140/150x210
Bed make-up system with slats retained on track	S	-
<b>ELECTRICAL INSTALLATION</b>		
Sockets 230V	S 6	S 6
USB	S 2	S 2
Electrical floor heating (5kg)	0	0

**EQUIPMENT SERIE**

**CHASSIS**

- Shockabsorbers
- ALKO Safety coupling
- Heavy duty corner steadies
- Wheel trims
- Awning light
- Front window
- 3<sup>rd</sup> brake light
- Ext. storage access (100x40cm)
- Leisure Air-conditioning preparation
- GRP roof, walls & under-floor
- Exclusive IRP Construction
- Bicycle racks

**EQUIPMENT**

- COMBI 6 Gasheater / Water heater
- Blown air heating 12V
- Combined blinds & fly nets
- Entrance mosquito net complete door
- Skylight Heki 2
- TV-preparation (socket and cable)
- Metallic articulated TV support
- Exterior TV socket
- LED lighting

**KITCHEN**

- Stainless steel sink & 3 burners
- Exterior gas socket
- Extractor hood
- 140L Slim Tower Fridge
- Fresh water tank 50L
- Waste water tank 30L (wheeled)
- Spice rack
- LED lighting

**BATHROOM**

- Manual Thetford cassette toilet
- Separated shower
- Shower tray
- Shower with flexible hose
- Shower column

**BEDROOM**


- Slatted bed bases
- Bed gas strut
- Comfort mattresses (17cm)
- Bedspread
- LED lighting

**ELECTRICAL INSTALLATION**


- Transformer / charger module 230V/12V including ground fault circuit breaker
- Control Panel (I-Net + I-Box)
- Leisure Battery preparation

○ **LAYOUTS**


Easy




EASY 340CP • 3,30 x 1,95 m



EASY 390CP • 4,00 x 1,95 m




EASY 430PE • 4,50 x 2,15 m




EASY 496PE • 5,00 x 2,15 m


Starlett




STARLETT 330CP • 3,30 x 1,95 m




STARLETT 380CE • 3,80 x 2,15 m




STARLETT 395CP • 4,00 x 2,15 m




STARLETT 400UL • 4,20 x 2,15 m




STARLETT 420CP • 4,20 x 1,95 m




STARLETT 450LJ • 4,70 x 2,15 m




STARLETT 470CP • 4,70 x 2,15 m




STARLETT 470PE • 4,70 x 2,15 m



STARLETT 476PE • 4,70 x 2,15 m



STARLETT 480CP • 5,00 x 2,15 m




STARLETT 490PE • 5,00 x 2,15 m




○ LAYOUTS


Evolution




EVOLUTION 400UL • 4,20 x 2,15 m




EVOLUTION 460LJ • 5,00 x 2,15 m




EVOLUTION 465CP • 4,70 x 2,15 m



EVOLUTION 480CP • 5,00 x 2,15 m




EVOLUTION 496PE • 5,20 x 2,15 m




EVOLUTION 510PE • 5,20 x 2,15 m


Alizé  
Trend




ALIZÉ TREND 460LJ • 5,00 x 2,15 m



ALIZÉ TREND 475CP • 5,00 x 2,15 m




ALIZÉ TREND 480CP • 5,00 x 2,15 m




ALIZÉ TREND 530PE • 5,60 x 2,15 m

Alizé  
Evasion



ALIZÉ EVASION 550CP • 5,60 x 2,15 m



ALIZÉ EVASION 550LJ • 5,60 x 2,15 m



AN OPEN DOOR TO HAPPINESS